



Your source for temperature measurement and supplies

Temperature Sensors for Aerospace, Marine
 Petro-Chemical, Food Processing, & Utilities
www.thermometricscorp.com
 1-866-RTDNTCS (1-866-783-6827)
 SBA 8A & ISO-9001-2000

18714 Parthenia St. Northridge, CA 91324 (818) 886-3755 Fax (818) 772-7690

DIN CLASS A TOLERANCE			DIN CLASS B TOLERANCE		
0 =	± 0.15°C	± 0.060Ω	0 =	± 0.30°C	± 0.120Ω
10 =	± 0.17°C	± 0.067Ω	10 =	± 0.35°C	± 0.138Ω
20 =	± 0.19°C	± 0.074Ω	20 =	± 0.40°C	± 0.156Ω
30 =	± 0.21°C	± 0.081Ω	30 =	± 0.45°C	± 0.174Ω
40 =	± 0.23°C	± 0.088Ω	40 =	± 0.50°C	± 0.192Ω
50 =	± 0.25°C	± 0.095Ω	50 =	± 0.55°C	± 0.210Ω
60 =	± 0.27°C	± 0.102Ω	60 =	± 0.60°C	± 0.228Ω
70 =	± 0.29°C	± 0.109Ω	70 =	± 0.65°C	± 0.246Ω
80 =	± 0.31°C	± 0.116Ω	80 =	± 0.70°C	± 0.264Ω
90 =	± 0.33°C	± 0.123Ω	90 =	± 0.75°C	± 0.282Ω
100 =	± 0.35°C	± 0.130Ω	100 =	± 0.80°C	± 0.300Ω
110 =	± 0.37°C	± 0.137Ω	110 =	± 0.85°C	± 0.318Ω
120 =	± 0.39°C	± 0.144Ω	120 =	± 0.90°C	± 0.336Ω
130 =	± 0.41°C	± 0.151Ω	130 =	± 0.95°C	± 0.354Ω
140 =	± 0.43°C	± 0.158Ω	140 =	± 1.00°C	± 0.372Ω
150 =	± 0.45°C	± 0.165Ω	150 =	± 1.05°C	± 0.390Ω
160 =	± 0.47°C	± 0.172Ω	160 =	± 1.10°C	± 0.408Ω
170 =	± 0.49°C	± 0.179Ω	170 =	± 1.15°C	± 0.426Ω
180 =	± 0.51°C	± 0.186Ω	180 =	± 1.20°C	± 0.444Ω
190 =	± 0.53°C	± 0.193Ω	190 =	± 1.25°C	± 0.462Ω
200 =	± 0.55°C	± 0.200Ω	200 =	± 1.30°C	± 0.480Ω
210 =	± 0.57°C	± 0.207Ω	210 =	± 1.35°C	± 0.496Ω
220 =	± 0.59°C	± 0.214Ω	220 =	± 1.40°C	± 0.512Ω
230 =	± 0.61°C	± 0.221Ω	230 =	± 1.45°C	± 0.528Ω
240 =	± 0.63°C	± 0.228Ω	240 =	± 1.50°C	± 0.544Ω
250 =	± 0.65°C	± 0.235Ω	250 =	± 1.55°C	± 0.560Ω
260 =	± 0.67°C	± 0.242Ω	260 =	± 1.60°C	± 0.576Ω
270 =	± 0.69°C	± 0.249Ω	270 =	± 1.65°C	± 0.592Ω
280 =	± 0.71°C	± 0.256Ω	280 =	± 1.70°C	± 0.608Ω
290 =	± 0.73°C	± 0.263Ω	290 =	± 1.75°C	± 0.624Ω
300 =	± 0.75°C	± 0.270Ω	300 =	± 1.80°C	± 0.640Ω
310 =	± 0.77°C	± 0.276Ω	310 =	± 1.85°C	± 0.655Ω
320 =	± 0.79°C	± 0.282Ω	320 =	± 1.90°C	± 0.670Ω
330 =	± 0.81°C	± 0.288Ω	330 =	± 1.95°C	± 0.685Ω
340 =	± 0.83°C	± 0.294Ω	340 =	± 2.00°C	± 0.700Ω
350 =	± 0.85°C	± 0.300Ω	350 =	± 2.05°C	± 0.715Ω
360 =	± 0.87°C	± 0.306Ω	360 =	± 2.10°C	± 0.730Ω
370 =	± 0.89°C	± 0.312Ω	370 =	± 2.15°C	± 0.745Ω
380 =	± 0.91°C	± 0.318Ω	380 =	± 2.20°C	± 0.760Ω
390 =	± 0.93°C	± 0.324Ω	390 =	± 2.25°C	± 0.775Ω
400 =	± 0.95°C	± 0.330Ω	400 =	± 2.30°C	± 0.790Ω

The tolerances on the negative side is the same as positive.
 Example Tolerance at - 20 = 0.19°C which is the same as + 20°C